

Led light panel



We reserve the right
to make changes to
our products




Candeo L.

Made in Finland
www.candeeffect.com

Led light panel



Led light panel




Frame	Box: Aluminum, white
Power	230 VAC
Operating temperature	- 40 °C - + 60 °C
Life time	100.000 h with a 30 % decrease in luminous flux
Warranty	Light unit: 6 years
Installation	T-porfile (15 mm and 24 mm) It fits in 600 mm concealed ceilings
Dimming	1 - 10 V
Weight	5,2 kg

Made in Finland

Candeo L.

We reserve the right to make changes to our products

Led light panel



Neutral White 2 x 6 led	Beam angle 50 x 53 °	CRI 80
Distance (cm)	Illuminance maximum (lx)	Beam width (d)
50 cm	755	74 x 84 cm
100 cm	250	125 x 137 cm
150 cm	115	188 x 201 cm
200 cm	70	

Cool White 2 x 6 led	Beam angle 50 x 53 °	CRI 70
Distance (cm)	Illuminance maximum (lx)	Beam width (d)
50 cm	945	74 x 84 cm
100 cm	310	125 x 137 cm
150 cm	145	188 x 201 cm
200 cm	85	

Neutral White 2 x 12 led	Beam angle 50 x 53 °	CRI 80
Distance (cm)	Illuminance maximum (lx)	Beam width (d)
50 cm	1510	74 x 84 cm
100 cm	495	125 x 137 cm
150 cm	230	188 x 201 cm
200 cm	140	

Cool White 2 x 12 led	Beam angle 50 x 53 °	CRI 70
Distance (cm)	Illuminance maximum (lx)	Beam width (d)
50 cm	1890	74 x 84 cm
100 cm	620	125 x 137 cm
150 cm	290	188 x 201 cm
200 cm	170	

	Luminous flux of the light source 2 x 6 led	Luminous flux of the light source 2 x 12 led
neutral white	1536 lm	3072 lm
cool white	1920 lm	3840 lm

Led light panel


Product code	Model	Frame	Colour	W	K	Led
CEL120 350 270	Led light panel 597 (2 x 6 led)	Aluminum	neutral white	31	4000	Rebel
CEL120 351 270	Led light panel 597 (2 x 12 led)	Aluminum	neutral white	62	4000	Rebel
CEL120 350 370	Led light panel 597 (2 x 6 led)	Aluminum	cool white	31	6000	Rebel
CEL120 351 370	Led light panel 597 (2 x 12 led)	Aluminum	cool white	62	6000	Rebel

We reserve the right to make changes to our products

Candeo L.

Made in Finland
www.candoeffect.com

Installation instructions Led light panel



Manufacturer:
Savled /Diranet Oy
Laitaatsillantie 3
57170 SAVONLINNA
FINLAND
Tel. +358 15 555 0031